



LEAK FREE  
SHOWER  
ENCLOSURES

LESS-ABLED  
SHOWERING  
SOLUTIONS

WALK-IN  
BATHS

SHOWERING  
AIDS



LEAK FREE SHOWER ENCLOSURES



LESS ABLED BATHING SOLUTIONS





LEAK FREE SHOWER ENCLOSURES

LESS ABLED BATHING SOLUTIONS

Beautiful  
contemporary  
functional  
and as  
flexible  
as you want...

*Choose the door you want  
Choose the shower you want  
Electric or thermostatic, your choice*



**Most showers leak at some stage in their lifetime, the damage can be quite expensive and difficult to fix. The only real solution, is a Leak Free Shower Enclosure.**

Neptune Bathing is the market leader in Leak Free Shower Enclosures.

Easy to install and maintenance free,  
**LEAK FREE** for life.

## **LESS-ABLED SHOWERING SOLUTIONS**

We supply a full range of half height doors, level access trays and accessories for all your mobility needs. We maintain a large stock for quick delivery.

## **WALK-IN BATHS**

Traditional baths present a safety and comfort challenge for some elderly and less abled users.

Taking that first step into a traditional bath especially without assistance, can lead to slips and falls.

Our range of walk-in baths address this safety concern. Easy to install and comfortable to use.



## **Our customers say it best..**

*Best thing ever. No water gets through the wall so none of the problems related to that. I have a 1200 X 900 now over 3 years. Still looks like new due to the finish of the unit.*

**Mark Gunian, Homeowner.**

*We install Neptune Leak Free Enclosures in all our developments including Lakeside in Coleraine and Garrow Hill in Moneymore. They deliver on their promise of no leaks and a hassle free installation. They are easy to clean and hygienic. Because of that our customers love them.*

**Seamus Feighan, Site Manager.**

*My mum loves her new walk-in bath. She has regained her independence and finds it very relaxing. The installation process was surprisingly quick. We are delighted.*

**Mary O'Sullivan, Carer.**

# LEAK FREE SHOWER ENCLOSURES



## OUR RANGE OF SIZES

- 800mm x 800mm Quadrant and Square
- 900mm x 900mm Quadrant and Square
- 800mm x 800mm 3 sided Alcove
- 900mm x 900mm 3 sided Alcove
- 1000mm x 800mm 3 sided Alcove (open top or with roof)
- 1200mm x 800mm 3-sided Alcove
- 1200mm x 800mm Rectangular Left & Right
- 1200mm x 800mm Offset Quad Left & Right
- 1200mm x 900mm Rectangular Left & Right
- 1200mm x 900mm Offset Quad Left & Right
- Bespoke sizes also available for quantities only.

*Most leaks happen where the wall and tray are joined. Our product is moulded and has no join at the back of the tray.*

## NO JOIN = NO LEAKS

### WHAT'S IT MADE OF ?

Surface is an Isophthalic, Anti- bacterial coating. This gives it excellent physical strength properties, excellent handling characteristics, easy cleaning, high heat resistance and outstanding corrosion resistance. Behind the surface coating is a high-end GRP (Glass Reinforced Polymer) of a grade normally only used in Ocean-Going Yachts. This will ensure many years of trouble free, water-resistant showering.



Behind the GRP is a special Resin Infused Particle Board. This gives the product extra rigidity and strength and allows for the shower doors, valves and additional accessories to be attached directly to the unit without having to go through to the wall behind.

Behind the RIPB is another coating of GRP. This encapsulates the entire unit and makes it impregnable to moisture.



Enhance your bathroom  
with real luxury...




LEAK FREE SHOWER ENCLOSURES

LESS ABLED BATHING SOLUTIONS



## AVAILABLE IN DIFFERENT COLOURS AND EFFECTS


*Porcelain White* to complement your existing ware and 'never go out of style'  
*Sandstone Granite* for a luxurious, warm effect.  
*Black Granite* for a striking, modern finish.



PORCELAIN WHITE



SANDSTONE GRANITE



BLACK GRANITE



Colours shown are for illustration purposes only.  
Please ask instore for an exact colour swatch.

## The future of showering is here

*A modern, low level tray  
for ease of entry,  
with no compromise  
on water retention*

*Available in 2 or 3 part  
systems for easy access  
to your bathroom*

Also available with  
Leg-Lifting-Kit and Fascia





# Feel younger with our walk-in baths...

Our micro-bubble system creates a white-water effect with millions of tiny bubbles exploding against your skin and hair follicles, for a really deep clean.



# WALK IN BATHS

Our new Micro-Bubble Spa System is the very first in Ireland and the UK. The millions of micro-bubbles explode near the skin for a really deep clean. This is especially good for skin conditions such as Eczema and Psoriasis.

Makes you feel  
relaxed, refreshed  
and younger...

Built on a sturdy Stainless Steel frame, we have a non-porous acrylic shell which resists mould, stains and wear spots.

The design allows for easy access for wheelchair users as transferring across onto the seat is unrestricted.

The door lock is very easy and safe to operate. Lock and seals come with a lifetime guarantee.

At 840mm we have the widest door available, making it so easy to access for persons with severe mobility problems.

## Why not relax in a luxurious, deep-water Neptune Walk-in Bath?

Step inside the wide side door, make yourself comfortable on the moulded, contoured seat and sit back fully supported. Enjoy warm spray jets, with millions of micro-bubbles exploding against your skin. Mood lighting and music if you choose. Heaven.



Accommodates user weight up to 35 stone

# THE OAKHAM RANGE



Model shown is 'The Special'

## The Standard

Comes with 2 grab rails and 2" waste fitting.

Add your own taps and accessories for full flexibility and choice.

Built on a sturdy stainless steel frame. Accommodates user weight up to 35 stone

### Available in 2 Sizes:

**66:** 1300 x 660 x 950mm

**75:** 1300 x 750 x 950mm

## The Plus

As the Oakham Standard, with a full tap and shower set, headrest and water jet package.

Rest your head on the soft headrest.

Enjoy the invigorating waterjets... lovely

### Available in 2 Sizes:

**66:** 1300 x 660 x 950mm

**75:** 1300 x 750 x 950mm

## The Special

As the Oakham Plus with micro-bubbles spa, chromotherapy light, heated back and seat area, aromatherapy.

Good for eczema, psoriasis and other skin ailments. Water stays warm for up to an hour.

### Available in 2 Sizes:

**66:** 1300 x 660 x 950mm

**75:** 1300 x 750 x 950mm



# THE STAMFORD

Inward Opening Door



As with the Oakham,  
this bath has the  
superior box section  
and stainless steel frame.

With grab bar and pop up waste.

Add your own taps for full flexibility.

Only available in Standard option.

**Available in 2 Sizes:**

**66:** 1300 x 660 x 950mm

**75:** 1300 x 750 x 950mm



# LESS ABLED SHOWERING

Our Accessible Showering range combines a modern look with a versatile design to suit any bathroom

We at Neptune believe in providing bathing solutions for the whole family. Our products are designed for ease of fitting, and our unique doors come with durable 360° hinges that are flexible and safe for everyday use.

We're passionate about supporting your needs. Practical bathing solutions should not compromise your individual requirements.

Our mission is to continue to develop products that allow you to live in comfort and style, whatever your level of mobility.

**We offer a wide range of half-height shower doors and trays to suit your needs.**

Our half-height doors have innovative 360 degree hinges allowing for flexibility in installation and everyday use whilst our trays are specially designed for strength, safety and ease of installation.



Helping you to live  
your life the way  
you want, without  
compromise





# NEPTUNE VERSA DOOR RANGE

Innovative long lasting half-height doors with 360 degree hinges for flexibility and ease of use.

Stylish and durable to complement any bathroom.

Our unique Versa system with adaptable profiles allow for easy and hassle free installation.



## Introducing the Neptune Versa range.

Every hinge on the versa range has 360 degrees of movement, this gives you:

### Reveseability

The Neptune Versa is fully reversible on site. This simplifies the ordering and installation process. No need for complicated configurations. One door for every scenario.

### Perfect accessibility

Fold the doors back and you can access the entire showering area.

### Great space saving

You can fold the doors right back out of the way.

### Durability

Doors that are much harder to damage as they can move in and out with no strain on the hinges.



360 degree hinge technology



Extra wide opening, fully reversible



Versatile access



Fold away system



Ergonomic handle, move with ease



Simple, safe, secure



# The Neptune Versa Door


Reversible  
Adaptable  
Durable

Style, quality  
& **Versatility**

# NEPTUNE VERSA DOOR RANGE

Superb  
attention  
to detail.

All parts are  
built for style  
and long-lasting  
durability.




Ergonomic handle, move doors with ease



360 hinges allows for full movement in and out.



50mm of adjustment on each side



Tough, replaceable seals



Everything we do  
is designed for  
your comfort and  
ease of use.

Note the  
ergonomic shape  
of the locking  
handle.

Safe and secure.



# NEPTUNE VERSA DOOR RANGE

## CORNER DOOR ENCLOSURE SPECIFICATIONS

PRODUCT NAME	SIZE	* *	
		DOOR ADJUSTMENT B	DOOR ADJUSTMENT C
NEPVERSA8x8	800 x 800	740-790	740-790
NEPVERSA9x9	900 x 900	840-890	840-890
NEPVERSA10x10	1000 x 1000	940-990	940-990
NEPVERSA11x8	1100 x 800	1040-1090	740-790
NEPVERSA12x72	1200 x 720	1140-1190	660-710
NEPVERSA12x8	1200 x 800	1140-1190	740-790
NEPVERSA12x9	1200 x 900	1140-1190	840-890
NEPVERSA12x10	1200 x 1000	1140-1190	940-990
NEPVERSA12x12	1200 x 1200	1140-1190	1140-1190
NEPVERSA13x8	1300 x 800	1240-1290	740-790
NEPVERSA13x9	1300 x 900	1240-1290	840-890
NEPVERSA14x9	1400 x 900	1340-1390	840-890
NEPVERSA15x9	1500 x 900	1440-1490	840-890

\* See diagrams pages

## ALCOVE DOOR ENCLOSURE SPECIFICATIONS

PRODUCT NAME	SIZE	*	
		DOOR ADJUSTMENT	
NEPVERSA8AL	800	750-850	
NEPVERSA9AL	900	850-950	
NEPVERSA10AL	1000	950-1050	
NEPVERSA11AL	1100	1050-1150	
NEPVERSA12AL	1200	1150-1250	
NEPVERSA13AL	1300	1250-1350	
NEPVERSA14AL	1400	1350-1450	
NEPVERSA15AL	1500	1450-1550	

\* Door adjustments include all sizes in between and are ex stock

The Versa Door has an unique wall profile.

This allows for a 50mm adjustment on each set of panels.

All doors and trays are ex-stock and ready for immediate dispatch.



The Versa Door is available in corner entry or alcove variant.

Large selection of sizes available.

# DEC TRAY RANGE

## Neptune Dec Tray

Our Nepdec tray...  
Your wetroom  
solution.



Our Floor Former DEC trays are designed for luxury. They can be tiled over or vinyl'd over, giving you the look of a truly beautiful showering area.

Teamed with mosaic tiles, the effects can be stunning. The trays fit into your concrete floor or over the joists on your wooden floor. You simply tile or vinyl the entire bathroom, including the tray, to give a really great flooring area. The trays come with the option of a square, metal grid for tiles or a round, white grid for Vinyl.

Wastes allow the removal of 48 litres of water per minute.













We only use  
McAlpine waste  
outlets giving  
you complete  
peace of mind.

PRODUCT NAME	FITTING AREA	SHOWERING AREA	WASTE FROM SIDE A	WASTE FROM SIDE D
NEPDEC9x9	900 x 900	850 x 850	450	350
NEPDEC10x10	1000 x 1000	950 x 950	500	600
NEPDEC115x77	1150 x 770	1100 x 720	285	470
NEPDEC12x9	1200 x 900	1150 x 850	350	500
NEPDEC12x12	1200 x 1200	1150 x 1150	500	600
NEPDEC13x8	1300 x 820	1250 x 770	320	500
NEPDEC14x9	1400 x 900	1350 x 850	350	650
NEPDEC15x8	1500 x 820	1450 x 770	320	650
NEPDEC18x8	1800 x 820	1750 x 770	320	800



# DEC TRAY RANGE





# LEVEL ACCESS TRAY RANGE

## Level Access Shower Tray

The Neptune low level access shower tray, designed for ease of use.



All of our level access trays are made from durable GRP and are Non Slip and CE certified. The tray edge is less than 4mm high making wheelchair access easy. Tray can be installed on wooden or concrete floors.


### Timber floors:

Mark the floorboards to allow for the tray to fit into the floor and trim. Ensure the waste will fit, allowing for joists. Place a sheet of plywood over the ceiling with lots of holes in the ply to allow for expansion of foam. Fill the void with expanding foam, ideally foam that stops expanding on contact. Use bonding like CT10 or TEC7 are ideal, to attach the tray to the surrounding floor.



### Concrete floors:

Excavate the floor to allow the tray to fit. Remove the tray and create space and channel for the waste. Fill with sufficient mortar to support the tray completely. Fit the tray and waste, using adhesive around the edges, CT10 or TEC7 is ideal.

PRODUCT NAME	FITTING AREA	SHOWERING AREA	WASTE FROM SIDE A	WASTE FROM SIDE D
NEPLEV9x9	945 x 945	850 x 850	425	425
NEPLEV10x10	1045 x 1045	950 x 950	465	465
NEPLEV11x8	1145 x 845	1050 x 750	365	305
NEPLEV12x72	1245 x 765	1150 x 670	315	300
NEPLEV12x8	1245 x 845	1150 x 750	365	300
NEPLEV12x9	1245 x 945	1150 x 850	445	300
NEPLEV13x9	1345 x 945	1250 x 850	450	315



# LEVEL ACCESS TRAY RANGE



# RAMPED TRAY RANGE

## Neptune Ramped Tray

Ideal solution for  
installation over  
concrete floor



All of our ramped, easy access trays are made from durable GRP  
All trays are non slip and conform to stringent UK and European standards  
The ramp has a very gentle incline so, no problem to enter with a Wheelchair.  
The entire tray is fitted above the ground, you just need to channel the waste.

### Timber floors:

Mark the floorboards to allow for the tray area.  
Cut out the space needed to ensure the waste will fit, allowing for joists.  
Fit the waste. Fit the tray in place above the floor.  
Fill the voids under the tray with expanding foam, ideally foam that stops expanding on contact. Use bonding like CT10 or TEC7 are ideal, to attach the tray to the surrounding floor.

### Concrete floors:

Mark the floor to allow for the tray area. Excavate the space needed to ensure the waste will fit. Fit the waste. Fit the tray in place above the floor.  
Fill the voids under the tray with expanding foam, ideally foam that stops expanding on contact. Use bonding like CT10 or TEC7 are ideal, to attach the tray to the surrounding floor.









PRODUCT NAME	FITTING AREA	SHOWERING AREA	WASTE FROM SIDE A	WASTE FROM SIDE D
NEPRAMP9x9+R	1010 x 1010	850 x 850	425	425
NEPRAMP10x10+R	1110 x 1110	950 x 950	465	465
NEPRAMP12x8+R	1310 x 910	1150 x 750	365	300
NEPRAMP12x9+R	1310 x 1010	1150 x 850	445	300
NEPRAMP13x9+R	1410 x 1010	1250 x 850	450	315
NEPRAMP12x72+R	1310 x 830	1150 x 670	315	300
NEPRAMP11x8+R	1210 x 910	1050 x 750	365	305

Ramped trays have exactly the same dimensional details as the level access trays with the addition of 65mm for the ramp giving the ramp a smooth incline for wheelchair access. Shown in darker colour.

The entire tray is above the ground apart from the waste.



# RAMPED TRAY RANGE



# LESS ABLED ACCESSORIES

**VB542R**



The Solo Compact Folding Shower Seat is ideal for areas where space is limited. The folding shower seat is contoured with a support pommel to the front, to increase comfort and security when in use, and is easy to clean.



**VB544**

The Solo Compact Folding Shower Seat with adjustable legs is ideal for areas where space is limited. The folding shower seat is contoured with a support pommel to the front, to increase comfort and security when in use.



**VB532**

The Solo Standard Shower Seat is a well established Aidapt product; a competitively priced solution without loss of quality or function. The wall fixed shower seat is height adjustable (in 25 mm increments) enabling it to be set at various heights to suit the user's needs, while the shower seat itself can be folded away when not in use. The legs have fine height adjustments to compensate for any variations in the shower tray. The frame of the shower seat has a 25 year warranty and is manufactured from first grade alloy for greater longevity and the injection moulded shower seat can be clipped on and off for easy cleaning.  
Backplate Width: 470mm. From left edge to first drill hole: 65mm. From first drill hole to middle drill hole: 170mm. From top drilling hole to bottom drilling hole: 95mm.



**VB535**

The Solo Deluxe Shower Seat with Arms is height adjustable and the legs have fine adjustments. The integrated arms lift independently enabling safe and controlled transfer. The shower seat's frame is manufactured from rust free aluminium. The seat and back are detachable and have drainage holes, which conform with MHRA standards. Depth from wall when folded for storage is 190mm.



**VB539**

The Solo Deluxe Shower Seat with Arms is the same specification as the VB535, however, this seat is without padding and arguably more robust.



**VB540B**

A high quality shower stool with non-slip feet designed for everyday use. The Shower Stool is adjustable in height to suit most users, with clearly-numbered height settings, and has integral handles in the seat to aid support and transfer. The lightweight frame means it can be removed with ease when not in use, enabling multiple use of the shower area.



**VB540S**

A high quality shower stool with non-slip feet designed for everyday use. The Shower Stool with Back is adjustable in height to suit most users, with clearly-numbered height settings, and has integral handles in the seat and back to aid support and transfer. The lightweight frame means it can be removed with ease enabling multiple use of the shower area.

**All of our accessories comply with the highest European Standards for weight and safety and are CE marked.**

# LESS ABLED ACCESSORIES



The President Grab Bar is an attractive, durable grab bar ideal for volume use, with a 32 mm diameter bar. It is constructed from UPVC and the tube is ribbed for improved grip. The flanges are multi-fixing giving the choice of five different fixing points to suit all installation needs. Each fixing point is reinforced and the flange has a cover cap as standard. This model is available in a range of colours and sizes.

VY425 300mm White  
VY426 450mm White  
VY427 600mm White

VY448 300mm Blue  
VY449 450mm Blue  
VY450 600mm Blue

VY451 300mm Red  
VY452 450mm Red  
VY453 600mm Red



\* Also available  
in red and blue



Polished Chrome Grab Bar with 6 fixing points featuring rounded edges and a knurled finish for improved user safety and metal flange covers. This grab bar is suitable for both indoor and outdoor use. Available in three lengths.

VY399F 300mm  
VY426G 450mm  
VY427H 600mm



## VY424

The Solo Contract Hinged Arm Support is an excellent product for value and safety. It features a simple fold up/fold down mechanism for ease of use. The added feature of the optional support leg on the VY423 provides extra stability, especially where more downward pressure may be applied when in use. The leg assembly on the VY423 is height adjustable enabling the bathroom support arm to be set at various heights to suit most needs.



## VY460

The Quick Suction Grab Rail is a compact support handle and offers greater independence by providing stability when getting in and out of the bath or shower, or for general use around the home. It is ideal for those who need a little extra mobility support. You can install the product in seconds, with no need for messy drilling or DIY, by simply placing the grip onto any smooth, non-porous surface (such as tiles) and pushing the safety locking levers down. For total confidence, the device will indicate it is securely locked in place with a green indicator on the suction handle. It is a great product to have when travelling and staying with friends or relatives or in hotels; providing a non-permanent support solution, without damaging the surface below.

NB. This product is designed to assist your natural motion, as when getting in and out of a shower. It is not designed to hold or support your full body weight. 292mm

## VY423WB

## VY423

The Solo Contract Hinged Arm Support is an excellent product for value and safety. It features a simple fold up/fold down mechanism for ease of use. The added feature of the optional support leg on the VY423 provides extra stability, especially where more downward pressure may be applied when in use. The leg assembly on the VY423 is height adjustable enabling the bathroom support arm to be set at various heights to suit most needs.



## VY460A

Versatile Long Length Suction Safety Rail, designed for use on tiled walls or other non-porous surfaces. Featuring pressure switches at both ends of the product, the rail creates an extremely resilient vacuum seal when attached to a surface without any need for drilling or screwing. It is also easy to remove by releasing the pressure switches, making it conveniently repositionable and portable. It's perfect for ensuring safety and independence for the user and as a bonus, also easy to keep clean. Please Note: This product is designed to assist your natural motion, as when getting in and out of a shower. It is not designed to hold or support your full body weight. 420mm




## VY460B


Versatile Dual-Pointed Suction Safety Rail, designed for use on tiled walls or other non-porous surfaces. Featuring pressure switches at both ends of the product and an extra one in the centre for 180 degree customised angle swivelling, the rail creates an extremely resilient vacuum seal when attached to a surface without any need for drilling or screwing. It is also easy to remove by releasing the pressure switches, making it conveniently repositionable and portable. It's perfect for ensuring safety and independence for the user and as a bonus, also easy to keep clean. Please Note: This product is designed to assist your natural motion, as when getting in and out of a shower. It is not designed to hold or support your full body weight. 495mm




# LEAK FREE SPECIFICATIONS




900 Quadrant




900 Square




800 Quadrant




800 Square




900 Alcove




800 Alcove



1200x 900 Rectangle




1200x 900 Quadrant




1200x800 Alcove

## LEAK FREE SPECIFICATIONS




**1000 x 800 Alcove**

Also available with roof



**1200 x 800 Rectangle**

Left hand shown




**1200 x 800 Quadrant**


Right hand shown

## WALK-IN BATH SPECIFICATIONS


### Oakham



Front view for Oakham Range  
Right hand model shown




Oakham 66




Oakham 75


### Stamford



Front view for Stamford Range  
Right hand model shown



Stamford 66



Stamford 75



Unit 54, Ardlea, Dunshaughlin, Co. Meath.  
Tel: 00353 (0) 1 825 0840 • Fax: 00353 (0) 1 526 1006  
ROI Mobile: 00353 (0) 85 888 8033  
email: [info@neptunebathing.ie](mailto:info@neptunebathing.ie) • Website: [www.neptunebathing.ie](http://www.neptunebathing.ie)

